

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525			Trans	•	ency (CHEMTREC) Technical Informat	ion :	1-800-424-930 1-651-355-844
St. Paul, MN 55164-0089					SDS Information	:	1-651-355-844
Product name : (FO) FLUID	GEAR GREASE				SDS no.	:	1328-NL150
Common name : Not availabl	le.				Revision date	:	04/22/201
					Chemical formula	ı :	Mixtur
Chemical family : Not available	le.						
Relevant identified uses of the subs	stance or mixture an	<u>id uses adv</u>	ised again	<u>st</u>			
Lubricating grease							
	Se	ction 2. H	lazards i	dentification			
OSHA/HCS status	1200), this SDS	contains va	aluable infor	mation critical to t	SHA Hazard Commu he safe handling and other users of this p	d proper use of	
Classification of the substance or mixture	: Not classified.				·		
GHS label elements							
Signal word	: No signal word.						
Signal word							
Hazard statements	: No known signi	ficant effects	s or critical	nazards.			
•	8	ficant effects	s or critical	nazards.			
Hazard statements	8	ficant effects	s or critical	nazards.			
Hazard statements Precautionary statements	: No known signi	ficant effects	s or critical	nazards.			
Hazard statements Precautionary statements General	No known signiNot applicable.	ficant effects	s or critical l	nazards.			
Hazard statements Precautionary statements General Prevention	No known signiNot applicable.Not applicable.	ficant effects	s or critical	nazards.			
Hazard statements Precautionary statements General Prevention Response	 No known signi Not applicable. Not applicable. Not applicable. 	ficant effects	s or critical l	nazards.			
Hazard statements Precautionary statements General Prevention Response Storage	 No known signi Not applicable. Not applicable. Not applicable. Not applicable. 	ficant effects	s or critical l	nazards.			
Hazard statements Precautionary statements General Prevention Response Storage Disposal Hazards not otherwise classified	 No known signi Not applicable. 	ficant effects Health :	s or critical l	nazards. Flammability :	1 Physical	hazards : 0	

Section 3. Composition/information on ingredients

Substance/mixture Other means of identification	: Mixture : Not available.		
Ingredient name		%	CAS number
Distillates (petroleum), hydrotreated heavy naphthenic Antimony, dialkyl dithiocarbamate		60 - 100 0.1 - 1	64742-52-5 15890-25-2

(*) This (These) above ingredient(s) is (are) non-hazardous and are not contributing to the hazard and classification of the final mixture. They are disclosed for information only.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Inhalation : If perstops Inhalation : If perstops Skin contact : If the mate Ingestion : If ma Most important symptoms/effects, acute and Potential acute health effects Eye contact : No k Inhalation : Expo	e material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the erial penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If tion persists after washing, get medical attention immediately. aterial has been swallowed, do not induce vomiting. Get medical attention immediately.
Inhalation : If perstops Inhalation : If perstops Skin contact : If the mate Ingestion : If ma Most important symptoms/effects, acute and Potential acute health effects Eye contact : No k Inhalation : Expo	utes, occasionally lifting the lower and upper lids. Get medical attention. Inson breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has ped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as sible. The material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the erial penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If tion persists after washing, get medical attention immediately. aterial has been swallowed, do not induce vomiting. Get medical attention immediately. Idelayed known significant effects or critical hazards. osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. snown significant effects or critical hazards.
Inhalation : If perstop Skin contact : If the mate irritat Ingestion : If mate irritat Most important symptoms/effects, acute and Potential acute health effects If was the symptom state in the symptom state is in the symptom	Arson breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has ped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as sible. In a material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the erial penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If tion persists after washing, get medical attention immediately. aterial has been swallowed, do not induce vomiting. Get medical attention immediately. I delayed anown significant effects or critical hazards. osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. snown significant effects or critical hazards.
Skin contact : If the mate irritat Ingestion : If mate irritat Most important symptoms/effects, acute and Potential acute health effects If mate irritat Eye contact : No k Inhalation : Exponential	e material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the erial penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If tion persists after washing, get medical attention immediately. aterial has been swallowed, do not induce vomiting. Get medical attention immediately. delayed known significant effects or critical hazards. osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. known significant effects or critical hazards.
Most important symptoms/effects, acute and Potential acute health effects Eye contact : No k Inhalation : Exponential exponential	delayed known significant effects or critical hazards. osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. known significant effects or critical hazards.
Potential acute health effects Eye contact : No k Inhalation : Expc expo	known significant effects or critical hazards. osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. known significant effects or critical hazards.
Eye contact: No kInhalation: Expo expo	osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. known significant effects or critical hazards.
Inhalation : Expo expo	osure to decomposition products may cause a health hazard. Serious effects may be delayed following osure. known significant effects or critical hazards.
expo	osure. known significant effects or critical hazards.
Skin contact : No k	
	known significant effects or critical hazards.
Ingestion : No k	
Over-exposure signs/symptoms	
Eye contact : Adve	erse symptoms may include the following: pain or irritation, watering, redness.
Inhalation : Adve	erse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact : Adve	erse symptoms may include the following: irritation, redness.
Ingestion : No ki	known significant effects or critical hazards.
Indication of immediate medical attention and	nd special treatment needed, if necessary
	case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person ma ed to be kept under medical surveillance for 48 hours.
Specific treatments : No	o specific treatment.
Protection of first-aiders : No	action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section 11)	
	Section 5. Fire-fighting measures
Extinguishing media	
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media Specific hazards arising from the chemical	 None known. Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides Sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	 When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-fighters	: Not applicable.
	Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Precautions for safe handling	
Protective measures	 Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Store in closed container away from all ignition sources. Do not store at temperatures exceeding 113°F (45°C). Handling temperatures should not exceed 175°F (80°C). Wash thoroughly after handling. Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Antimony, dialkyl dithiocarbamate	ACGIH TLV (United States, 4/2014). TWA: 0.5 mg/m³, (as Sb) 8 hours. OSHA PEL (United States, 2/2013). TWA: 0.5 mg/m³, (as Sb) 8 hours. NIOSH REL (United States, 10/2013). TWA: 0.5 mg/m³, (as Sb) 10 hours.
Appropriate engineering controls	Use only with adequate ventilation.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
ndividual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and usi the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	Recommended: Long sleeved coveralls.
Other skin protection	Recommended: Impervious boots.
Respiratory protection	If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particula filter.

Section 9. Physical and chemical properties

Appearance		Relative density	: Not available.
Physical state	: Semi-solid gel.	Evaporation rate	: Not available.
Color	: Gray.	Solubility	: Not available.
Odor	: Petroleum. [Slight]	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	Not available.	octanol/water	
Melting point	: >177°C (>350.6°F)	Auto-ignition temperature	: Not available.
Boiling point	: >316°C (>600.8°F)	Decomposition temperature	: Not available.
Flash point	: Closed cup: >149°C (>300.2°F) [Pensky- Martens.]	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	::	No specific test data related to reactivity available for this product or its ingredients. The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials Hazardous decomposition products	::	See handling and storage section. Reactive or incompatible with the following materials: oxidizing materials. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Antimony, dialkyl dithiocarbamate	LD50 Dermal LD50 Oral	Rabbit Rat	16000 mg/kg 16400 mg/kg	-
Irritation/Corrosion			·	
Skin	: There is no data available.			
Eyes	: There is no data available.			
Respiratory	: There is no data available.			
<u>Sensitization</u>				
Skin	: There is no data available.			
Respiratory	: There is no data available.			
<u>Mutagenicity</u>				
There is no data available.				
<u>Carcinogenicity</u>				
There is no data available.				
Reproductive toxicity				
There is no data available.				
<u>Teratogenicity</u>				
There is no data available.				
Specific target organ toxicity (singl	e exposure)			
There is no data available.				
Specific target organ toxicity (repe	ated exposure)			
There is no data available.				
Aspiration hazard				
There is no data available.				
nformation on the likely routes of xposure	: Not available.			

Section 12. Ecological information

<u>Toxicity</u>	
There is no data available.	
Persistence and degradability	
There is no data available.	
Bioaccumulative potential	
There is no data available.	
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations				
Disposal methods	protection and		oducts should comply with the requirements of environmenta y regional local authority requirements. mation	
DOT IDENTIFICATION NUMBER Not applicable. DOT proper shipping name Not applicable.				
DOT Hazard Class(es) Not ap	plicable.	PG Not applicable.	DOT EMER. RESPONSE GUIDE NO. Not Applicable	
	Se	ction 15. Regulatory infor	mation	
U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Antimony, dialkyl dithiocarbamate Clean Air Act Section 602 Class I Substances : Not listed DEA List I Chemicals (Precursor Chemicals) : Not listed Clean Air Act Section 602 Class II Substances : Not listed DEA List II Chemicals (Essential Chemicals) : Not listed Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Listed SARA 302/304 : SARA 302/304				
Composition/information on	<u>ingredients</u>			
No products were found. SARA 304 RQ SARA 311/312	: Not applicable			
Hazard classifications	: No hazard app	licable.		
Composition/information on No products were found.	<u>ingredients</u>			
SARA 313			subject to the reporting requirements of SARA Section 313 o To-Know Act of 1986 and of 40 CFR 372.	

	s =		
Product name		CAS number	%
Antimony, dialkyl dithiocarbamate		15890-25-2	0.1 - 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	one of the components are listed.	
New York	one of the components are listed.	
New Jersey	e following components are listed: Distillates (petroleum), hydrotreated heavy naphthenic; An hiocarbamate	timony, dialkyl
Pennsylvania	e following components are listed: Antimony, dialkyl dithiocarbamate	
California Prop. 65	products were found.	

Section 16. Other information

Revision date	: 04/22/2015	Supersedes	: 06/01/2009
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by	: KMK Regulatory Services Inc.
Notice to reader			

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



