

# **SAFETY DATA SHEET**

### Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525		Transportation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-651-355-8443
St. Paul, MN 55164	-0089	SDS Information	:	1-651-355-8445
Product name	: (FO) POLY SUPREME GREASE	SDS no.	:	1330-NL1253
Common name	: High Temp Grease, Multipurpose	Revision date	:	04/22/2015
Chemical name	: Polymer Thickened Oil Lubricant	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

#### Relevant identified uses of the substance or mixture and uses advised against

Not available.

#### Section 2. Hazards identification

OSHA/HCS status	:	1200), this SE	S con	tains valu	uable inf	,	e safe h	zard Communication Stand nandling and proper use of sers of this product.	<b>`</b>
Classification of the substance or mixture	:	Not classified.						·	
GHS label elements									
Signal word	:	No signal wor	d.						
Hazard statements	:	No known sig	nifican	t effects	or critica	al hazards.			
Precautionary statements									
General	:	Not applicable	<b>)</b> .						
Prevention	:	Not applicable	<b>)</b> .						
Response	:	Not applicable	<b>)</b> .						
Storage	:	Not applicable	<b>)</b> .						
Disposal	:	Not applicable	<b>)</b> .						
Hazards not otherwise classified (HNOC)	:	None known.							
Hazardous Material Information Sys	ten	n (U.S.A.)	Heal	th :	1	Flammability :	1	Physical hazards: 0	
National Fire Protection Association	ı (U	.S.A.)	Heal	th :	1	Flammability :	1	Instability: 0	

### Section 3. Composition/information on ingredients

Substance/mixture	: Substance		
Chemical name	: Polymer Thickened Oil Lubricant		
Other means of identification	: High Temp Grease, Multipurpose		
Ingredient name		%	CAS number
Distillates (petroleum), hydrotreated	d heavy naphthenic	60 - 100	64742-52-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary first aid measure	<u>s</u>					
	material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 inutes, occasionally lifting the lower and upper lids. Get medical attention.					
Inhalation : If						
<ul> <li>Skin contact</li> <li>is the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.</li> </ul>						
	material has been swallowed, do not induce vomiting. Get medical attention immediately.					
Most important symptoms/effects, acute a	nd delayed					
Potential acute health effects						
Eye contact : N	o known significant effects or critical hazards.					
Inhalation : N	o known significant effects or critical hazards.					
Skin contact : N	o known significant effects or critical hazards.					
Ingestion : N	o known significant effects or critical hazards.					
Over-exposure signs/symptoms						
Eye contact : A	dverse symptoms may include the following: pain or irritation, watering, redness.					
Inhalation : A	dverse symptoms may include the following: respiratory tract irritation, coughing.					
Skin contact : A	dverse symptoms may include the following: irritation, redness.					
Ingestion : N	o known significant effects or critical hazards.					
Indication of immediate medical attention	n and special treatment needed, if necessary					
	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingeste or inhaled.					
Specific treatments :	No specific treatment.					
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.					
See toxicological information (Section 1						
	Section 5. Fire-fighting measures					
Extinguishing media						
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.					
Unsuitable extinguishing media	: None known.					
Specific hazards arising from the chemica	<ul> <li>Toxic fumes gases or vapors may evolve on burning.</li> </ul>					
Hazardous thermal decomposition produc	ts : No specific data.					
Special protective actions for fire-fighters	<ul> <li>When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.</li> </ul>					
Special protective equipment for fire-fighter						
	Section 6. Accidental release measures					
Personal precautions, protective equipme	and emergency procedures					
V	eep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate entilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective quipment.					
Methods and materials for containment a	<u>id cleaning up</u>					
	Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemica bsorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.					

# Section 7. Handling and storage

#### Precautions for safe handling

F

Protective measures	<ul> <li>Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest.</li> </ul>
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

#### (FO) POLY SUPREME GREASE

Conditions for safe storage, including any incompatibilities

: Store in closed container away from all ignition sources. Do not store at temperatures exceeding 113°F (45°C). Handling temperatures should not exceed 175°F (80°C). Wash thoroughly after handling. Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name Distillates (petroleum), hydrotreated heavy naphthenic			Exposure limits           ACGIH TLV (United States, 4/2014).           TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction           NIOSH REL (United States, 10/2013).           TWA: 5 mg/m³ 10 hours. Form: Mist           STEL: 10 mg/m³ 15 minutes. Form: Mist           OSHA PEL (United States, 2/2013).           TWA: 5 mg/m³ 8 hours.	
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.		
Individual protection measures				
Hygiene measures	:		oroughly after handling chemical products, before eating, smoking and using vorking period. Ensure that eyewash stations and safety showers are close	
Eye/face protection	:	Recommended: Splash goggles and a face shield, where splash hazard exists.		
Skin protection				
Hand protection	:	4 - 8 hours (breakthrough time): Nitrile gloves.		
Body protection	:	Recommended: Long sleeved cove	eralls.	
Other skin protection	:	Recommended: Impervious boots.		
Respiratory protection	:	If ventilation is inadequate, use a N filter.	NOSH-certified respirator with an organic vapor cartridge and P95 particulate	

### Section 9. Physical and chemical properties

Appearance		Relative density	: 0.88 to 0.89
Physical state	Semi-solid gel.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	Aqua green	Solubility	: Insoluble in the following materials: cold wat and hot water.
Odor	Mild petroleum.	Solubility in water	: Insoluble
Odor threshold	Not available.	Partition coefficient: n-	: Not available.
рН	Not available.	octanol/water	
Melting point	Not available.	Auto-ignition temperature	: Not available.
Boiling point	Not available.	Decomposition temperature	: Not available.
Flash point	Closed cup: >149°C (>300.2°F)	SADT	: Not available.
Flammability	Not available.	Viscosity	: Not available.
Lower and upper	Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

### Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	See handling and storage section.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials and acids.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

E

Rat s Score -	>5000 mg/kg     -       Exposure     Observation       500 mg     -
s Score -	
s Score -	
-	500 mg -
gestion.	
In	Ingestion.

### Section 12. Ecological information

<u>Toxicity</u>	
There is no data available.	
Persistence and degradability	
There is no data available.	
<b>Bioaccumulative potential</b>	
There is no data available.	
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.

Disposal methods	: Disposal of this product, solutions and any by-products should comply with the requirements of protection and waste disposal legislation and any regional local authority requirements. Section 14. Transport information	environment
DOT IDENTIFICATION NUMBER	ot applicable. <b>DOT proper shipping name</b> Not applicable.	
DOT Hazard Class(es) Not appl	able. PG Not applicable. DOT EMER. RESPONSE GUIDE NO. Not a	applicable
	Section 15. Regulatory information	
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: All components are listed or exempted. United States inventory (TSCA 8b): All components are listed or exempted.	
lean Air Act Section 602 Class I S lean Air Act Section 602 Class II S lean Air Act Section 112(b) Hazar	bstances : Not listed DEA List II Chemicals (Essential Chemicals) : Not list	
SARA 302/304		
Composition/information on ir No products were found.	redients	
SARA 304 RQ	: Not applicable.	
SARA 311/312		
Hazard classifications	: No hazard applicable.	
Composition/information on in No products were found.	redients	
<u>SARA 313</u>	: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA S	ection 313 c

the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Distillates (petroleum), hydrotreated heavy naphthenic
Pennsylvania	:	None of the components are listed.
California Prop. 65	:	No products were found.

### Section 13. Disposal considerations

### Section 16. Other information

Revision date	: 04/22/2015	Supersedes :	06/01/2009
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by :	KMK Regulatory Services Inc.
Notice to reader			

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



