

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525 St. Paul, MN 55164	-0089	Transportation Emergency (CHEMTREC) Technical Information SDS Information	::	1-800-424-9300 1-651-355-8443 1-651-355-8445
Product name	: Chain Bar Oil	SDS no.	:	1316-873928
Common name	: Bar and chain oil	Revision date	:	03/12/2014
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Not available.

F

Section 2. Hazards identification

OSHA/HCS status	1200), this SDS	contains valua	able infori	,	afe han	d Communication Standard (29 CFR 1910. dling and proper use of the product. This s of this product.
Classification of the substance or mixture	: Not classified.					
GHS label elements						
Signal word	: No signal word.					
Hazard statements	: No known signif	icant effects or	critical h	azards.		
Precautionary statements						
General	: Read label befo label at hand.	re use. Keep o	out of rea	ch of children. If medi	ical adv	vice is needed, have product container or
Hazardous Material Information S	System (U.S.A.)	Health :	1 *	Flammability :	1	Physical hazards: 0
National Fire Protection Association	tion (U.S.A.)	Health :	1	Flammability :	1	Instability: 0
	Section 3. Co	mposition	inform	ation on ingredie	ents	

Substance/mixture	: Mixture	
Chemical name	: Lubricating oil.	
Other means of identification	: Bar and chain oil	
Any concentration shown as a range	is to protect confidentiality or is due to batch variation.	

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid	measures
Eye contact	 If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	: If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	: If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effects	, acute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.

Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition products	:	No specific data.
Special protective actions for fire-fighters	:	When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-fighters	:	Not applicable.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Spill

 Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limits		
None. Appropriate engineering controls	:	Use only with adequate ventilation.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures		

Chain Bar Oil

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Recommended: Splash goggles and a face shield, where splash hazard exists. Skin protection : 4 - 8 hours (breakthrough time): Nitrile gloves. Hand protection Recommended: Long sleeved coveralls. **Body protection** : Other skin protection Recommended: Impervious boots. : **Respiratory protection** If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate :

Section 9. Physical and chemical properties

filter.

Appearance		Relative density	: 0.88 to 0.89
Physical state	: Liquid.	Evaporation rate	: <1 (Ether. = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >205°C (>401°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects				
Acute toxicity				
There is no data available.				
Irritation/Corrosion				
Skin	:	There is no data available.		
Eyes	:	There is no data available.		
Respiratory	:	There is no data available.		
<u>Sensitization</u>				
Skin	:	There is no data available.		
Respiratory	:	There is no data available.		
Mutagenicity				
There is no data available.				
Carcinogenicity				
There is no data available.				
Reproductive toxicity				
There is no data available.				

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely routes of : Dermal contact. Eye contact. Inhalation. Ingestion. exposure

	Section 12. Ecological info	ormation	
Toxicity			
There is no data available.			
Persistence and degradability			
There is no data available.			
Bioaccumulative potential			
There is no data available.			
<u>Mobility in soil</u>			
	s no data available.		
Other adverse effects : No know	vn significant effects or critical hazard	S.	
	Section 13. Disposal consid	derations	
	of this product, solutions and any by- n and waste disposal legislation and a		
	Section 14. Transport info	ormation	
DOT IDENTIFICATION NUMBER Not applicable.	DOT proper shipping nam	e Not applicable.	
DOT Hazard Class(es) Not applicable.	PG Not applicable.	DOT EMER. RESPONS	SE GUIDE NO. Not available.
	Section 15. Regulatory info	ormation	
	a) CDR Exempt/Partial exemption: States inventory (TSCA 8b): All com	•	•
lean Air Act Section 602 Class I Substances lean Air Act Section 602 Class II Substances lean Air Act Section 112(b) Hazardous Air Polluta	: Not listed DEA List II Che	micals (Precursor Chemical micals (Essential Chemical	
SARA 302/304			
Composition/information on ingredients			
No products were found.			
SARA 304 RQ : Not appli	icable.		
<u>SARA 311/312</u>			
Classification : Not appli	icable.		
Composition/information on ingredients			
No products were found.			
	duct (does/not) contain toxic chemical rgency Planning and Community Righ		
Product name	CAS number	%	
Zinc compounds	Mixture	0.14 as Zinc	

Section 12. Ecological information

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Distillates (petroleum), hydrotreated light naphthenic
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated light naphthenic
Pennsylvania	:	None of the components are listed.
California Prop. 65	:	Not available.

Section 16. Other information

Revision date	: 03/12/2014	Supersedes : 03/23/2009	
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by : KMK Regulatory Services Inc.	

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. THE SPECIFIC MATERIAL IDENTIFIED THIS SDS IN SECURITIES AND THE INTENT THAT THOSE SECURENTS BE THE INFORMATION CONTINUE IN THIS SUS RELATES UNLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL INCOMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(9), CHS HAS PREPARED THIS SOS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR PUPLICATIONS.



