

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525		Transportation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-651-355-8443
St. Paul, MN 55164	-0089	SDS Information	:	1-651-355-8445
Product name	: Synthetic Blend 2-Cycle Oil	SDS no.	:	1327-FO872570
Common name	: TCW-3 Two Cycle Oil	Revision date	:	03/12/2014
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Not available.

Section 2. Hazards identification

mixture								
GHS label elements								
Signal word	:	Warning						
Hazard statements	:	Combustible lie	quid.					
Precautionary statements								
General	:	Read label befilabel at hand.	ore use. Keep	out of r	eac	h of children. If medi	cal adv	vice is needed, have product container or
Hazardous Material Information	ı Syst	tem (U.S.A.)	Health :	2	*	Flammability :	2	Physical hazards: 0
National Fire Protection Assoc	ation	(U.S.A.)	Health :	2		Flammability :	2	Instability: 0

Substance/mixture	: Mixture		
Chemical name	: Lubricating oil.		
Other means of identification	: TCW-3 Two Cycle Oil		
Ingredient name		%	CAS number
Solvent naphtha (petroleum), media	um aliph.	10 - 30	64742-88-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	 If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/ef	ffects, acute and delayed
Potential acute health effect	ts

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medical a	tention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See toxicological information (Sec	tion 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	 Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: Do not use water jet or water-based fire extinguishers.
Specific hazards arising from the chemical	: Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	 When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-fighters	: Not applicable.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate
		ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective
		equipment.

Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

ł

Occupational exposure limits

Ingredient name	Exposure limits
Solvent naphtha (petroleum), medium aliph.	OSHA PEL (United States, 6/2010). TWA: 100 ppm 8 hours. TWA: 400 mg/m ³ 8 hours.

Synthetic	Blend	2-Cycle	Oil
-----------	-------	---------	-----

Appropriate engineering controls	Use only with adequate ventilation.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.	
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and usin the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Recommended: Splash goggles and a face shield, where splash hazard exists.	
Skin protection		
Hand protection	4 - 8 hours (breakthrough time): Nitrile gloves.	
Body protection	Recommended: Long sleeved coveralls.	
Other skin protection	Recommended: Impervious boots.	
Respiratory protection	If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particula filter.	te

Section 9. Physical and chemical properties

Appearance			Relative density	:	0.8586
Physical state	:	Liquid.	Evaporation rate	:	<1 (Ether. = 1)
Color	:	Blue.	Solubility	:	Insoluble in the following materials: cold wate and hot water.
Odor	:	Mild.	Solubility in water	:	Insoluble
Odor threshold	:	Not available.	Partition coefficient: n-	:	Not available.
рН	:	Not available.	octanol/water		
Melting point	:	Not available.	Auto-ignition temperature	:	Not available.
Boiling point	:	Not available.	Decomposition temperature	:	Not available.
Flash point	:	Closed cup: >88°C (>190.4°F) [Pensky- Martens.]	SADT	:	Not available.
Flammability	:	Not available.	Viscosity	:	Not available.
Lower and upper	:	Not available.	Vapor pressure	:	<0.13 kPa (<1 mm Hg) [(68°F)]
explosive (flammable) limits			Vapor density	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity	
There is no data available.	
Irritation/Corrosion	
Skin	: There is no data available.
Eyes	: There is no data available.
Respiratory	: There is no data available.
Sensitization	
Skin	: There is no data available.
Respiratory	: There is no data available.

There is no data available.	
Teratogenicity	
There is no data available.	
Specific target organ toxicity (single exposure)	
There is no data available.	
Specific target organ toxicity (repeated exposure)	
There is no data available.	
Aspiration hazard	
Name	Result
Solvent naphtha (petroleum), medium aliph.	ASPIRATION HAZARD - Category 1
Information on the likely routes of : Dermal contact. Eye contact. Inhala exposure	tion. Ingestion.
Section 12. Ecolog	ical information
Toxicity	
There is no data available.	
Persistence and degradability	
There is no data available.	
Bioaccumulative potential	
There is no data available.	
Mobility in soil	
Soil/water partition coefficient (Koc) : There is no data available.	
Other adverse effects : No known significant effects or critic	cal hazards.
Section 13. Dispose	al considerations
	nd any by-products should comply with the requirements of environmental ation and any regional local authority requirements.
Section 14. Trans	port information
·	
DOT IDENTIFICATION NUMBER NA1993 DOT proper ship	ping name COMBUSTIBLE LIQUID, N.O.S. (Solvent naphtha (petroleum), medium aliph.)
DOT Hazard Class(es) Combustible liquid. PG III	DOT EMER. RESPONSE GUIDE NO. 128
Section 15. Regula	tory information
U.S. Federal regulations : TSCA 8(a) PAIR: (2-Methoxymethy TSCA 8(a) CDR Exempt/Partial ex United States inventory (TSCA 8k Clean Water Act (CWA) 307: Ethyl Clean Water Act (CWA) 311: Xyler	temption : Not determined b): All components are listed or exempted. benzene
	List I Chemicals (Precursor Chemicals) : Not listed List II Chemicals (Essential Chemicals) : Not listed sted : Not listed
SARA 302/304 Composition/information on ingredients	

Mutagenicity

Carcinogenicity

There is no data available.

There is no data available. <u>Reproductive toxicity</u>

No products were found.

SARA 304 RQ : Not applicable. SARA 311/312

Classification : Fire hazard

Composition/information on ingredients

No products were found.

<u>SARA 313</u>

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: The following	The following components are listed: Distillates (petroleum), solvent-refined light paraffinic				
New York	: None of the	None of the components are listed.				
New Jersey		The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), solvent-refined light paraffinic				
Pennsylvania	: None of the	None of the components are listed.				
California Prop. 65	: WARNING: cancer.	WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.				
Ingredient name		Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level	
Ethylbenzene		Yes.	No.	41 μg/day (ingestion) 54 μg/day (inhalation)	No.	

Section 16. Other information

Revision date	: 03/12/2014	Supersedes : 06/01/2009	
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by : KMK Regulator	y Services Inc.
Notice to reader			

THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



