

# Cenex<sup>®</sup> Tractor Fluid



## General Description

Cenex<sup>®</sup> Tractor Fluid is a multifunctional hydraulic fluid formulated specifically for tractors equipped with a centralized common system to lubricate the transmission, differential, hubs, wet brake, power steering and hydraulic systems.

Cenex Tractor Fluid is formulated with high viscosity index base oils and a special additive system to provide anti-wear properties, the ability to carry heavy differential gear loads, resist oxidation stress from high temperatures, and prevent wet brake chatter and give smooth transmission operation. This all-season product is designed to provide superior transmission, differential, wet brake, and hydraulic operations in hot and cold temperature conditions, while keeping the internal parts clean and prolonging the life of sealing materials.

## Features and Benefits

- Test data to support John Deere J20C standard.
- Recommended for agriculture equipment with common transmission, hydraulic, differential, final drive and wet brake sump.
- Excellent fluidity and superb hydraulic system operation in cold temperatures.
- Provides chatter-free operation of wet brakes and smooth operation of clutch discs.
- Protects transmission gears, hydraulic pumps and other parts from wear due to high loads.
- Keeps all system parts clean and varnish free for smooth operation.

## Typical Applications

Cenex Tractor Fluid is recommended for use in the common transmission, differential and hydraulic oil sump systems of many agricultural tractors, combines, and certain makes and models of construction equipment where John Deere J20C or J20A is recommended. Check appropriate application guide for complete lubricant recommendations.

## Typical Properties

SAE Grade (approximate)	10W-30
Viscosity @ 40°C, cSt	59.0
SUS	270
Viscosity @ 100°C, cSt	9.4
SUS	57.0
Viscosity Index	141
Brookfield Viscosity, cP @ -20 °C	4,950
Brookfield Viscosity, cP @ -35 °C	59,300
API Gear Performance	GL-4
Pour Point, °F (°C)	-40 (-40)
Foam D892	Pass

The typical properties listed reflect the general characteristics of the product, and are not manufacturing specifications. Normal batch-to-batch variations should be expected.

## Health & Safety

A complete safety data sheet is available by calling 1-651-355-8438 or visit [cenex.com/sds-library](http://cenex.com/sds-library).