

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. Transportation I P.O. Box 64089 Mail Station E573 St. Paul, MN 55164-0089		Transportation Emergency (CHEMTREC)	:	1-800-424-9300	
		Technical Information	:	1-651-355-8443	
		SDS Information	:	1-651-355-8445	
Product name	: PRF FLUID	SDS no.	:	1467-088874-HL	
Common name	: VACUUM PUMP OIL	Revision date	:	07/08/2022	
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture	
Chemical family	: Hydrocarbon.				

Relevant identified uses of the substance or mixture and uses advised against

Lubricating oil.

Section 2. Hazards identification

OSHA/HCS status	: This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR
	1910.1200).
Classification of the substance or mixture	: Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified (HNOC)	: None known.

		•	5	
Substance/mixture	: Mixture			
Chemical name	: Lubricating oil.			
Other means of identification : VACUUM PUMP OIL		IL		
Chemical Name		CAS No	Weight %	
Lubricating oils (petroleum), clay-treated spent		64742-50-3	30 - 60	
Distillates, petroleum, hydrotreated heavy paraffinic		64742-54-7	30 - 60	
Proprietary Additives		PROPRIETARY	0.1 – 1.0	

Section 3. Composition/information on ingredients

The specific identity and exact concentration of any included proprietary additive(s) is withheld as a trade secret.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid n	neasures
Eye contact Inhalation	 If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention. If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	 If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effects,	acute and delayed
Potential acute health effects	
Eye contact	: This product is not classified as an eye irritant.
Inhalation	: This product is not classified as acutely toxic by inhalation.
Skin contact	: This product is not classified as acutely toxic by the dermal route.
Ingestion	: This product is not classified as acutely toxic by the oral route.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact Ingestion	: Adverse symptoms may include the following: irritation, redness. : No known significant effects or critical hazards.
•	с. С
	ttention and special treatment needed, if necessary
Notes to physician Specific treatments	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
•	
Protection of first-aiders See toxicological information (See	: No action shall be taken involving any personal risk or without suitable training.
Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire. None known.
Specific hazards arising from the c	
Hazardous thermal decomposition	products : No specific data.
Special protective actions for fire-fig	ghters : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
	Section 6. Accidental release measures
Personal precautions, protective ed	guipment and emergency procedures
For non-emergency personnel	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Methods and materials for contain	
Spill	: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.
	Section 7. Handling and storage
Procentions for cofe kendling	
Precautions for safe handling	Dut on oppropriate personal protective equipment (acc Section 9). Do not get in even or on this or dethics
Protective measures Advice on general occupational	 Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and
hygiene	processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Exposure guidelines

Exposure limits for purified mineral oil as mist: US-ACGIH reports: TWA-5 mg/m³ and STEL-10 mg/m³; US-OSHA PEL 5 mg/m³.

Chen	nical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Distillates, petroleum, hydrotreated heavy paraffinic 64742-54-7 Lubricating oils (petroleum), clay-treated spent 64742-50-3		5 mg/m³ (As oil mist) STEL: 10 mg/m3 as Oil Mist		
Appropriate engineering controls	: Use only with adequate ventilation.			
Environmental exposure controls	: Emissions from ventilation or work proc requirements of environmental protec		cked to ensure they	comply with the
Individual protection measures				
Hygiene measures	: Wash hands, forearms and face thoroug the lavatory and at the end of the worki the workstation location.			
Eye/face protection	: Recommended: Splash goggles and a	face shield, where splash haz	ard exists.	
Skin protection				
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile	gloves.		
Body protection	: Recommended: Long sleeved coveralls	6.		
Other skin protection	: Recommended: Impervious boots.			
Respiratory protection	: If ventilation is inadequate, use a NIOSI filter.	H-certified respirator with an o	rganic vapor cartridg	e and P95 particulate

Section 9. Physical and chemical properties

Appearance		Relative density	: 0.89 to 0.91
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	: Green.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Notavailable.	Auto-ignition temperature	:>260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >205°C (>401°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
There is no data available	-	-	-	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
There is no data available	-	-	-	-	-

Sensitization

Skin : T	here is no data available.
----------	----------------------------

Respiratory

: There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely routes of : Dermal contact. Eye contact. Inhalation. Ingestion. exposure

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogP₀w	BCF	Potential
There is no data available	-	-	-

Mobility in soil

Soil/water partition coefficient (Koc)

Other adverse effects

: There is no data available.

: No known significant effects or critical hazards.

Section 13. Disposal considerations **Disposal methods** : Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Section 14. Transport information DOT IDENTIFICATIONNUMBER Not applicable. DOT proper shipping name Not applicable. DOT Hazard Class(es) Not applicable. PG Not applicable. DOT EMER. RESPONSE GUIDE NO. Not applicable Section 15. Regulatory information **U.S. Federal regulations** : TSCA 4(a) final test rules: Not applicable TSCA 8(a) PAIR: Not applicable TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Toluene; Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) Clean Water Act (CWA) 311: Toluene; Vinyl acetate; **DEA List I Chemicals (Precursor Chemicals) Clean Air Act Section 602 Class I Substances** : Not listed : Not listed **Clean Air Act Section 602 Class II Substances DEA List II Chemicals (Essential Chemicals)** : Not listed : Not listed Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed SARA 302/304 Composition/information on ingredients **SARA 304 RQ** SARA 302 TPQ CAS Name Concentration (lbs) (kilograms) (lbs) (kilograms) in product. % Number or parts per million

Vinyl acetate	< 1 ppm	108-05-4	1000	454	5000	2270	
Phenol	< 0.5 ppm	108-95-2	500	227	1000	454	
Maleic anhydride	< 2 ppm	108-31-6	-	-	5000	2270	
Toluene	< 7 ppm	108-88-3	-	-	1000	454	

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure	Reactive	(acute) health	Delayed (chronic) health hazard
-	-	-	-	-	-	-

: This product contains toxic chemicals subject to the reporting requirements of SARA Section 313 of the

<u>SARA 313</u>

Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.			
Product name	CAS number	%	
Zinc alkyldithiophosphate	Confidential	< 0.4%	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts

: None of the components are listed.

New York

: None of the components are listed.

New Jersey

: The following components are listed: Distillates (petroleum), hydrotreated heavyparaffinic PRF FLUID

Pennsylvania

: None of the components are listed.


California Prop. 65:

WARNING: This product can expose you to chemicals including ethyl acrylate (< 300 ppb) which is known to the State of California to cause cancer.

WARNING: This product can expose you to chemicals including toluene (< 10 ppm) which is known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	Cancer	Reproductive	No Significant Risk Level	Maximum acceptable dosage level
Benzene	Yes	No	Yes	6.4 μg/day (ingestion) 13 μg/day (inhalation)
Ethyl acrylate	Yes	No	No	N.A.
Toluene	No	Yes	Yes	7000 μg/day (ingestion)

Section 16. Other information



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet