

1. Identification

 Product identifier
 N-ERTIA™ 26

 Other means of identification
 Slow release nitrogen.

Synonyms None.

Recommended use Liquid fertilizer for agricultural use.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor Information

Company name CHS Inc.

Address 5500 Cenex Drive

Inver Grove Heights, MN 55077 US

Telephone 1.651.355.6000 Website www.chsinc.com

Contact person EH&S/Regulatory Department

Emergency phone number CHEMTREC (24 hours): 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity - oral. Category 4

OSHA defined hazards Not classified.

Label elements



Signal word Warning.

Hazard statement Harmful if swallowed. May be harmful in contact with skin. May be harmful if inhaled.

Precautionary statement

Prevention Avoid breahting mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or

in a well-ventilated area. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor

if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Environmental hazards Supplemental information Precautionary statement

None known.

Prevention



3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Urea	57-13-6	0 - 44
Triazone	7098-14-8	0 – 43
Water	7732-18-5	0 - 15

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations

are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets

obtained from supplier.

4. First-aid measures

Eye contact Check for and remove contact lenses. Flush immediately with copious amounts

> of water or normal saline (minimum of 15 minutes), holding eyelids apart to ensure complete irritation of the eye and eyelid tissue. Take exposed individual to a health care professional, preferably an opthalmologist, for further

evaluation.

Skin contact Remove contaminated clothing, shoes and equipment. Immediately flush skin

with plenty of water. Repeat washing. If redness or irritation occurs, seek

medical attention. Wash contaminated clothing before reuse.

Inhalation Move person to fresh air and loosen clothing. If the affected person is not

breathing, apply artificial respiration. Get medical attention immediately.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting Ingestion without advice from poison control center. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Irritant effects. Discomfort in the chest. Shortness of breath. Coughing. Symptoms include itching, burning, redness, and tearing of eyes. Prolonged or repeated skin contact may cause drying, cracking, or irritation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Inhalation of vapor or mists may cause lung edema.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing

media

Water fog. Water spray. Carbon dioxide (CO₂). Foam.

Unsuitable

extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising

from the chemical

ammonia and oxides of nitrogen can be released.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting follow the

During a fire, may include but are not limited to oxides of carbon and oxides of sulfur,

general fire precautions indicated in the workplace.



Fire-fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved

materials. Move containers from the fire area if you can do so without risk.

Specific methods Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes.

Wear suitable protective clothing. For personal protection see Section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with vermiculite, dry sand or earth and place into containers.

After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly

to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow

to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate

ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry well-ventilated place. Keep container tightly closed. Keep this material away from food, drink and animal feed. Avoid using containers, pipes and fittings made of

zinc-clad or copper bearing alloys. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe Occupational

Exposure Limits and minimize the risk of inhalation of vapors and mists. Provide

eyewash station and safety shower.

Individual protection measures such as personal protective equipment

Eye/face protection Wear approved safety glasses or goggles.

Skin Protection

Hand protection Neoprene gloves are recommended. Be aware that the liquid may penetrate

the gloves. Frequent change is advisable. Suitable gloves can be recommended by the

glove supplier.

Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

N-ERTIATM 26



been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of mist use suitable respiratory equipment with particle filter.

In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene consideration

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

 $\begin{array}{cccc} \textbf{Appearance} & & & & & \\ \textbf{Physical State} & & & & \\ \textbf{Form} & & & & \\ \textbf{Color} & & & & \\ \textbf{Slightly hazy.} \\ \textbf{Odor} & & & & \\ \textbf{Slight amine.} \\ \textbf{Odor threshold} & & & \\ \textbf{Not available.} \\ \textbf{pH} & & & \\ \textbf{8.0} - 9.0 \\ \end{array}$

Melting point/freezing point No data available.

Initial boiling point and boiling 212°F / 100°C

range

Flash point Does not flash.

Evaporation Rate Not available.
Flammability (solid, gas) Not available.

Upper/lower flammability

Flammability limit- lower (%)
Flammability limit- upper (%)

Vapor pressure
Vapor Density (Air=1)
Relative density
Solubility(ies)
Partition coefficient

Not available.
Not available.
1.201 @ 60°F.
Completely soluble.
Not available.

 $(n\hbox{-}octanol/water)$

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use storage and transport.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid contact with acids or acidic materials. Avoid storage piping of handling systems

made of copper, zinc, or their alloys.

Incompatible materials Strong oxidizers such as nitrates, nitrites or chlorates can cause explosive mixtures if heated

to dryness.

Hazardous decomposition

Products

Heating to dryness may cause the release of ammonia and carbon dioxide.



11. Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed.

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated skin contact may cause irritation.

Eye contact Causes eye irritation on direct contact.

Symptoms related to the physical, chemical and toxicological characteristics

Irritant effects. Symptoms include itching, burning, redness and tearing of eyes. Prolonged or repeated skin contact may cause drying, cracking, or irritation. Discomfort in the chest. Shortness

of breath. Coughing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting. Inhalation of vapor or mist may cause lung edema.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Trade to many to manner it own and well				
Components	Species	Test Results		
Triazone (CAS 7098-14-8) Acute Oral LD50	Rat	> 2500 mg/kg		
Urea (CAS 57-13-6) Acute Oral LD50	Rat	8,471 mg/kg		
Skin corrosion/irritation	May cause skin irritation.			
Serious eye damage/eye irritation	May causes eye irritation.			
Respiratory sensitization	No data available.			
Skin sensitization	No data available.			
Germ cell mutagenicity	No data available.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA			
Reproductive toxicity	No data available.			
Specific target organ toxicity- single exposure	No data available.			
Specific target organ toxicity- repeated exposure	No data available.			
Aspiration hazard	No data available.			
Chronic effects	Prolonged exposure may cause	Prolonged exposure may cause chronic effects.		

12. Ecological information

Further information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

No other specific acute or chronic health impact noted.



Components Species Test Results

Urea (CAS 57-13-6)
Aquatic

Fish LC50 Poecilia reticulate Fish EC50 Daphnia magna 16,200 – 18,300 mg/l, 96 hours 3,910 mg/l, 96 hours

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Dispose in accordance with

all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in

accordance with current applicable laws and regulations, and material characteristics at time

of disposal.

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after

container is emptied.

14. Transport information

DOT Not regulated as a hazardous material by DOT.

IATA Not regulated as a dangerous good.

IMDG Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

15. Regulatory information

US federal regulations All components of this product are on the U.S. EPA TSCA Inventory List or are exempt from

TSCA inventory requirements.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No



SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

No regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Warning

This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

International Inventories

 Country(s) or region
 Inventory name
 On inventory (yes/no)*

 United States & Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory
 Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 09-October-2020

Revision date --

Version # SDS v1.0

NFPA Ratings



List of abbreviations EC50: Effective concentration, 50%.

LC50: Lethal concentration, 50%.

References EPA: Acquire database

HSDB® – Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Value and Biological Exposure Indices

Preparation The preparation of this MSDS was in accordance with ANSI Z400.1-2010.

Disclaimer NOTICE: The information presented herein is based on data considered to be accurate as of the date

of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed

or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety



information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.