

1. Identification

Bollbuilder® **Product identifier** Other means of identification Not available. **Synonyms** Not available. Recommended use Fertilizer. **Recommended restrictions** None known.

Manufacturer / Importer / Supplier / Distributor Information

Company name CHS Inc

Address 5500 Cenex Drive

Inver Grove Heights, MN 55077 US

Telephone 1-651-355-6000 Website www.chsinc.com

EH&S/Regulatory Department Contact person

Emergency phone number CHEMTREC (24 hours): 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Oral, Dermal, Inhalation Health hazards Acute Toxicity Category 4 Skin Irritation Category 3 Mild Skin Irritant Eye Irritation Category 2B Mild Eye Irritant

Not classified. **OSHA** defined hazards

Label elements

Hazard symbol

Signal word

Hazard statement Mildly irritating to skin and eyes.

Warning.

Precautionary statement

Prevention Wash thoroughly after handling. Use skin and eye protection while using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Store away from incompatible material.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Supplemental information

Not applicable.



3. Composition/information on ingredients

Mixtures

Minute			
Chemical name	CAS number	%	
Water	7732-18-5	40 – 50	
Hydroxy carboxylic acid salt	*Proprietary	10 – 15	
Zinc chloride	7646-85-7	1 – 5	
Manganese nitrate	10377-66-9	1 – 5	
Amine borate	Mixture	1 – 5	

^{*}Proprietary indicates that the chemical identity of this component is claimed as a trade secret per the HCS 29CFR 1910.1200

Composition comments All concentrations are in v

All concentrations are in weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets

obtained from supplier.

4. First-aid measures

Eye contact Check for and remove contact lenses. Flush immediately with copious amounts

of water or normal saline (minimum of 15 minutes), holding eyelids apart to ensure complete irritation of the eye and eyelid tissue. Take exposed individual to a health care professional, preferably an opthalmologist, for further

evaluation.

Skin contact Remove contaminated clothing, shoes and equipment. Wash exposed area with

plenty of soap and water. Repeat washing. If redness or irritation occurs, seek

medical attention. Wash contaminated clothing before reuse.

Inhalation No adverse effects anticipated. If necessary, remove victim to fresh air and

loosen clothing. Get medical attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting

without advice from poison control center. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Symptoms include itching, burning, redness, and tearing of eyes.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable

extinguishing media

None known.

Specific hazards arising from the chemical

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate, and solid ammonium nitrate when sensitized during decomposition

may become unstable and explosive.



Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting follow the

general fire precautions indicated in the workplace.

Fire-fighting equipment/instructions Use standard firefighting procedures and consider the hazards of other involved

materials. Move containers from the fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear suitable protective clothing. For personal protection see Section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry well-ventilated place. Store away from

incompatible materials.

Transfer Equipment Transfer product using chemical-resistant plastic or stainless steel tanks, pumps, valves, etc.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Zinc chloride (CAS 7646-85-7)	PEL	1 mg/m ³
Manganese nitrate (CAS 10377-66-9)	PEL	5 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and mists.

Individual protection measures such as personal protective equipment

Eye/face protection **Skin Protection**

Wear approved safety glasses or goggles.

Hand protection Chemical resistant gloves are recommended. Be aware that the liquid may penetrate

the gloves. Frequent change is advisable. Suitable gloves can be recommended by the

glove supplier.



Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of

vapors, use suitable respiratory equipment.

In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material consideration and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Appearance

Liquid. **Physical State** Form Liquid. Color Brown. Odor Bland Odor threshold Not available. 4.7 - 5.5pН Melting point/freezing point <15°F (-10°C) Initial boiling point and boiling 225°F (107.22°C)

range

Flash point

Evaporation Rate
Flammability (solid, gas)

Vapor pressure

Vapor Density (Air=1)

Relative density

Solubility

Not available.

Not available.

Not available.

Not available.

1.18 @ 15°C

100%

Partition coefficient Not available.

 $(n\hbox{-}octanol/water)$

Auto-ignition temperatureNot available.ViscosityNot available.

Other information

Percent volatile Not available.

10. Stability and reactivity

Reactivity Reacts violently with strong acids.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

Incompatible materials

Conditions to avoid

reactions

Hazardous polymerization does not occur.

Contact with incompatible materials. Heat, sparks, flames, elevated temperatures.

Reacts with strong acids.

Hazardous decomposition

products

Carbon oxides. Metal oxide fumes and water vapor.

11. Toxicological information

Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Bollbuilder®

—— Page 4

Version #1.0: SDS Revision date: - Issue date: 18-Dec-2015



Inhalation Skin contact Eye contact

Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Prolonged or repeated skin contact may cause irritation.

May cause eye irritation on direct contact.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms can include irritation, redness, scratching of the cornea, and tearing.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Test Results Components Zinc chloride (CAS 7646-85-7) Acute Oral LD50 Rat 1,692 mg/kg calculated Inhalation Rat > 2,000 mg/kg LD50

Skin corrosion/irritation Prolonged exposure may cause skin irritation.

Serious eye damage/eye irritation

May cause eye irritation on direct contact.

Respiratory sensitization No data available.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity No data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity No data available.

Specific target organ toxicitysingle exposure

No data available.

Specific target organ toxicity-

repeated exposure

No data available.

Aspiration hazard Not classified.

Chronic effects Prolonged exposure may cause chronic effects.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Components Species Test Results Manganese nitrate (CAS 10377-66-9)

Aquatic Crustacea EC50 Daphnia 1 9.8 mg/L, 48 hours Fish LC50 Oncorrhynchus mykiss 14.5 mg/L, 96hours

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Bollbuilder®



Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Dispose in accordance with

all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in

accordance with current applicable laws and regulations, and material characteristics at time

of disposal.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

14. Transport information

DOT Not regulated as a hazardous material by DOT.

IATA Not regulated as a dangerous goods.

IMDG Not regulated as a dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

No

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Bollbuilder®

Version #1.0: SDS Revision date: - Issue date: 18-Dec-2015 Page 6



Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

US Massachusetts RTK – Substance List

Zinc chloride (CAS 7646-85-7)

US New Jersey Worker and Community Right-to-Know Act

Zinc chloride (CAS 7646-85-7) Manganese nitrate (CAS 10377-66-9)

US Pennsylvania RTK - Hazardous Substances

Zinc chloride (CAS 7646-85-7)

US Minnesota RTK

Zinc chloride (CAS 7646-85-7)

US California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substances

Not listed.

International Inventories

 Country(s) or region
 Inventory name
 On inventory (yes/no)*

 United States & Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory
 Yes

16. Other information, including date of preparation or last revision

Issue date 18-December-2015

Revision date --

Version # v1.0 SDS

NFPA Ratings



List of abbreviations EC50: Effective concentration, 50%.

LC50: Lethal concentration, 50%.

References EPA: Acquire database

HSDB® – Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Value and Biological Exposure Indices

Preparation The preparation of this MSDS was in accordance with ANSI Z400.1-2010.

Disclaimer NOTICE: The information presented herein is based on data considered to be accurate as of the date

of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government

regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a

Bollbuilder®

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.