

SOILTRATE™

Deposition Aid

Principal Functioning Agents:

Lubricating oils (petroleum), hydrotreated spent; oleic acid, polyethylene glycol undecyl ether	99.2%
Constituents ineffective as spray adjuvants	0.8%
Total	100.0%

All ingredients are exempt from tolerance under 40 CFR 180. Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Read label before use. Do not eat, drink or smoke when using this product. Avoid breathing spray. Wash hands thoroughly after handling. Wear chemical protective gloves, protective clothing, and eye protection.

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water.

IF SWALLOWED: Do not induce vomiting. Call a poison control center or doctor immediately for treatment advice. Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

GENERAL INFORMATION NOT FOR AQUATIC USE IN WASHINGTON

SOILTRATE™ is formulated with a superior surfactant system and paraffinic oil to improve deposition and penetration of the active ingredient or nutrients into the target surface.

SOILTRATE promotes efficacy by increasing soil adsorption which can help to reduce run-off and leaching of the spray application.

SOILTRATE is recommended for application in a broad range of crop and non-crop uses including agriculture, turf and ornamental, industrial vegetation management, and specialty crops.

May be used with herbicides, fungicides, or insecticides.

DIRECTIONS FOR USE

Follow the instructions on the most restrictive active ingredient label. Tank mixtures should only be applied within the label recommendations of every product in the tank mixture.

Caution should be used when applying this or any other product on crops during hot, dry conditions.

Though phytotoxicity has been evaluated, care should be taken by conducting a jar test or testing this product on sensitive plants before full application is performed.

Order of addition

Prior to mixing, fill the spray tank with half of the carrier. Start the sprayer and check to make sure that all valves and gauges work and that there is adequate tank agitation.

In general, follow the W-A-L-E-S plan when adding herbicides to a tank mix.

1. Wettable Powders (WP) then Flowables (F, DF)
2. Agitate then add anti-foaming compounds or buffers.
3. Liquid and Soluble products
4. Emulsifiable concentrates (EC)
5. SOILTRATE and other adjuvants

APPLICATION RATES

Application rate of tank mix by air or ground (gallons per acre)	Application rate of SOILTRATE per acre
0-5	6 to 16 ounces*
5-30	1 to 4 pints
Above 30	1% minimum in spray mix

*Ensure 1% minimum is added to the spray tank but do not exceed 5%.

STORAGE AND DISPOSAL

Storage: Store in a cool well-ventilated place. Keep in original container and keep tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

Disposal: Do not contaminate water, food or feed by disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.

Conditions of Sale and Warranty Limitation: The directions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of CHS Inc. or the seller. All such risks shall be assumed by the buyer. CHS Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. CHS Inc. makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall CHS Inc. or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. CHS Inc. and the seller offer this product, and the Buyer and the User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CHS Inc.

WA Reg. No. 48013-21001

SN: 022124

© 2024 CHS Inc.
Soiltrate™ is a trademark of CHS Inc.

**NET CONTENTS:
275 Gallons (1041 L)**

Distributed by: CHS Inc. ■ 5500 Cenex Drive ■ Inver Grove Heights, MN 55077 ■ 651-355-6000 ■ chsinc.com

