

SAFETY DATA SHEET

CHS WHEELHOUSE 2

SDS DATE: 07/20/2020

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CHS WHEELHOUSE 2
DISTRIBUTOR: CHS Inc.
5500 Cenex Drive
Inver Grove Heights, MN 55077
651-355-6000
EMERGENCY CHEMTREC PHONE: US & CANADA: 1-800-424-9300
CHEMICAL NAME: Proprietary blend
CHEMICAL FAMILY: Nonionic surfactant
CHEMICAL FORMULA: Chemical blend
PRODUCT USE: Agricultural chemical blend
SECTION 1 NOTES: None

GHS Ratings:

SECTION 2: HAZARDS

Toxicity Categories:
Eye damage/ irritation Category 2B

Signal Word: WARNING

Hazard Symbol: NONE

GHS Hazards

H320 Causes eye irritation

GHS Precautions

P102 Keep out of reach of children.
P103 Read label before use.
P233 Keep container tightly closed.
P234 Keep only in original container.
P261 Avoid breathing spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection.
P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352 IF ON SKIN: Wash with plenty of soap and water.
P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing cautiously.
P337+313 If eye irritation persists: Get medical advice or attention.

SECTION 3: INFORMATION ON COMPONENTS

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>% WT</u>
Proprietary alkoxyolate		>10 - <20 %

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: These specific chemical identities and or exact percentage (concentration) of composition have been withheld as a trade secret.

CARCINOGENICITY

OSHA: No **ACGIH:** No **NTP:** No **IARC:** No **OTHER:** No

Not listed by ACGIH, IARC, NIOSH, NTP or OSHA. Because exposure potential is a critical element in the expression of a potential health hazard, this product, if handled in accordance with good industrial hygiene practice, will not present an actual hazard in the workplace.

SAFETY DATA SHEET

CHS WHEELHOUSE 2

SDS DATE: 07/20/2020

SECTION 4: FIRST AID MEASURES

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists: Get medical advice or attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

SECTION 5: FIRE FIGHTING MEASURES

NFPA HAZARD CLASSIFICATION

HEALTH: 1 **FLAMMABILITY:** 1 **REACTIVITY:** 0 **OTHER:** -

IN CASE OF FIRE: Water fog, alcohol foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: A self-contained breathing apparatus and suitable protective clothing must be worn in fire conditions.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide, nitrogen oxides.

SECTION 5 NOTES: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear suitable protective equipment.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. **STORE BETWEEN 40° AND 90° F.**

SECTION 7 NOTES: None


SAFETY DATA SHEET

CHS WHEELHOUSE 2

SDS DATE: 07/20/2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

	OSHA		ACGIH		NIOSH	
	PEL	STEL	PEL	STEL	PEL	STEL
Ethyl alcohol 64-17-5	1000ppm TWA; 1900 mg/m ³ TWA		1000 ppm STEL		1000ppm TWA; 1900 mg/m ³ TWA	

- VENTILATION:** Use only outdoors or in a well-ventilated area. HMIS= B
- RESPIRATORY PROTECTION:** Not necessary unless ventilation is inadequate. Then use OSHA or NIOSH approved respirator, as appropriate.
- EYE PROTECTION:** Safety glasses. 
- SKIN PROTECTION:** Chemical gloves, long-sleeved shirts and pants.
- OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eye wash and safety shower should be easily accessible.
- WORK HYGIENIC PRACTICES:** Wash thoroughly with soap and water after handling product and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.
- EXPOSURE GUIDELINES:** If exposed, see section 4 for acute exposure first aid.
- SECTION 8 NOTES:** None

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE:** Colorless to pale yellow
- ODOR:** Mild
- ORDER THRESHOLD:** Not known
- PHYSICAL STATE:** Liquid
- pH AS SUPPLIED:** 6 to 8
- pH (Other):**
- INITIAL BOILING POINT:** F: Unknown
C: Unknown
- BOILING POINT RANGE:** F: >212
C: >100
- MELTING POINT:** F: Unknown
C: Unknown
- FREEZING POINT:** F: Unknown
C: Unknown
- FLASH POINT:** F: >200
C: >93
- METHOD USED:** PMCC
- FLAMMABILITY (solid, gas):** Not available
- FLAMMABLE LIMITS IN AIR, UPPER (% BY VOLUME):** Unknown
- LOWER:** Unknown
- VAPOR PRESSURE (mmHg):** @
F: Unknown
C: Unknown
- VAPOR DENSITY (AIR = 1):** @
F: Unknown
C: Unknown
- RELATIVE DENSITY:** 1.203 to 1.227
- EVAPORATION RATE: BASIS (butyl acetate=1):** Unknown
- SOLUBILITY IN WATER:** Soluble
- PARTITION COEFFICIENT: (n-octanol/water):** Unknown
- AUTO-IGNITION TEMPERATURE:** Unknown
- DECOMPOSITION TEMPERATURE:** Unknown
- VISCOSITY:** @ Not determined
F: Unknown
C: Unknown

SECTION 9 NOTES: VALUES ARE NOT PRODUCT SPECIFICATIONS.

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

SAFETY DATA SHEET

CHS WHEELHOUSE 2

SDS DATE: 07/20/2020

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable Unstable

CONDITIONS TO AVOID (STABILITY): Extreme heat or open flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon dioxide, carbon monoxide, nitrogen oxides.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None known

SECTION 10 NOTES: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not available

MIXTURE TOXICITY: Not available

COMPONENT TOXICITY: Not available

SECTION 11 NOTES: None

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:
ECOTOXICITY: Not available

BIOACCUMULATIVE POTENTIAL: Not available

MOBILITY IN SOIL: Not available

OTHER ADVERSE EFFECTS: Not available

SECTION 12 NOTES: None

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

RCRA HAZARD CLASS: None

SECTION 13 NOTES: None

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

OTHER AGENCIES: None

SECTION 14 NOTES: None

SAFETY DATA SHEET

CHS WHEELHOUSE 2

SDS DATE: 07/20/2020

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): Mixture not listed or excluded from listing.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not Regulated

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): Not Regulated

Section 302/304 Extremely Hazardous Substances

Chemical Name	CAS Number	Range in %	TPQ	RQ
Residual ethylene oxide (typical)	75-21-8	<0.001	Below reportable concentrations	

311/312 HAZARD CATEGORIES:

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health Hazard

313 REPORTABLE INGREDIENTS:

This product contains no substances subject to the reporting requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) or 40 CFR Part 372 in concentrations above the de minimis concentration level.

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None

STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.